Your gluing solutions partner

MELER

ARION AKUA

meler.eu

ARION AKUA

TO BE WATER-RESISTANT

Because sometimes we need the best in wet working atmospheres.

When the working conditions and environment require good moisture resistance and fluid tolerance, our automatic and transfer hose solutions with a special coating with 100% leak-tightness are perfect.




ADVANTAGES

- Improves machinery maintenance
- 100% waterproof
- Helps improve the cleaning process
- Accessibility

ARION by meler

CHARACTERISTICS



USES

Specialized in:
Labelling / Packaging
Applications:
Wet working atmospheres
Markets:
Textil - Automotive - Packaging - Assembly - Matresses – Wood – Graphic Arts - Construction







SPECIFICATIONS

Inner diameter	Lengths	Maximum pressure at 200 °C	Hydraulic connection (female)
6, 8 and 13 mm	from 0.6 to 7.2 m	156 (Ø6) • 130 (Ø8) • 105 (Ø13) bar	JIC 9/16" (Ø6 y Ø8); GAS 1/4" (Ø6); M16x1,5 (Ø8); JIC 3/4" (Ø13); M22x1,5 (Ø13)

Minimum bending radius	Consumption	Voltage	Temperature	Temperature sensor
160 (Ø6) • 180 (Ø8) • 300 (Ø13) mm	95-160 Watt/m	230V AC	Max. 200 °C	Pt 100, Ni 120 and NTC

MELER

info@meler.eu
meler.eu